

South East London Area Prescribing Committee Formulary recommendation

Reference	030
Intervention:	Sodium cromoglycate 4% cutaneous emulsion (Altoderm™) for the treatment of mastocytosis in children Sodium cromoglycate is a mast cell stabiliser that works by inhibiting the release of inflammatory mediators (such as histamine) from mast cells.
Date of Decision	April 2015
Date of Issue:	May 2015
Recommendation:	Grey – not recommended for prescribing in South East London
Further Information	 The evidence to support the use of topical sodium cromoglycate in mastocytosis is weak. Existing data are limited to one case report in a single patient.
Shared Care/Transfer of care document required:	N/A
Cost Impact for agreed patient group	N/A
Usage Monitoring & Impact	Trusts – monitor non-formulary requests CCGs – monitor epact data
Assessment	CCGs = monitor epact data
Evidence reviewed	N/A

NOTES:

- a) Area Prescribing Committee recommendations and minutes are available publicly on member CCG websites.
- b) This Area Prescribing Committee recommendation has been made on the cost effectiveness, patient outcome and safety data available at the time. The recommendation will be subject to review if a submission is received or new NICE guidelines or technology appraisals are issued.
- c) Not to be used for commercial or marketing purposes. Strictly for use within the NHS